

## 5000 liter tank i Rostfritt 304



**108 000 SEK /st exkl moms**

**Additional information:** Ice-cream produktion; smaller dents in the lower bottom; manhole diameter 450 mm; motor-/gear is missing; pipe end cut flush

**Volumetric volume (L):** 5.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** 50

**Agitator:** yes

**Internal diameter tank:** 2.030 mm

**Outer diameter tank:** 2.200 mm

**Cylinder height:** 1.450 mm

**Total height of tank:** 2.800 mm

**Empty weight tank:** 650

**SKU:** 266131

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Ice-cream produktion; smaller dents in the lower bottom; manhole diameter 450 mm; motor-/gear is missing; pipe end cut flush; we can't give any guarantees about the heating/cooling jacket; we can't

Övrig information2: give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.450 mm

Invändig diameter: 2.030 mm

Total höjd: 2.800 mm

Ytterdiameter: 2.200 mm

**Mer**

Värmeväxlare: RVS 304

Isolerad: Ja

Vikt: 650