

5000 liter tank i Syrafast 316



171 000 SEK /st exkl moms

Additional information: Food industry; Manhole diameter 490 mm; nameplate may no longer exist; half-coil around the lower cylinder area; adhesions inside the tank; bump at the insulation jacket

Volumetric volume (L): 5.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 100 L

Max Overpressure: 5 Bar

Max. working temperature: 100 °C

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 48

Agitator: yes

Number of revolutions: 24

Power: 2,20

Internal diameter tank: 1.700 mm

Outer diameter tank: 1.880 mm

Cylinder height: 2.150 mm

Total height of tank: 4.150 mm

SKU: 294019

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Food industry; Manhole diameter 490 mm; nameplate may no longer exist; half-coil around the lower cylinder area; adhesions inside the tank; bump at the insulation jacket; we can't give any

Övrig information2: guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 5000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 2.150 mm
Invändig diameter: 1.700 mm
Total höjd: 4.150 mm
Ytterdiameter: 1.880 mm

Omrörare

Kraft (kW): 2,20
Varvtal: 24

Mer

Isolerad: Ja