

50000 liter tank i Rostfritt 304



484 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: the tanks were never used

Volumetric volume (L): 50.000 L

Pressure in tank: ATM - atmosferic



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 6 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Gasket shut-off valve (mat): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Total outlet valve: yes

Agitator: no, optional

Top: 2,50 mm

Cylinder: 3 mm

Bottom: 4 mm

Outer diameter tank: 3.000 mm

Cylinder height: 7.000 mm

Total outer length: 8.400 mm

SKU: 288113

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: the tanks were never used
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: conical
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 50000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Teknisk ritning finns: Nej
Utloppsventil: Ja

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304



Dimensioner av tank

Cylinderhöjd: 7.000 mm
Ytterdiameter: 3.000 mm

Tjocklek på tank

Botten: 4 mm
Cylinder: 3 mm
Topp: 2,50 mm

Mer

Isolerad: Nej