

## 50000 liter tank i Rostfritt 304



**642,000,00 kr /st exkl moms**

**Additional information:** Pictures show the smaller 31,000 liter version (15487) of the tank; heating jacket approx. 3,930 mm of the lower cylinder height; manhole approx. 430 x 540 mm; tank is currently suspended in a transport frame made of Fe; 1 loose ladder bracket is included in the scope of delivery (would have to be welded on by the customer if required)

**Volumetric volume (L):** 50.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 80 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 3 Bar

**Max. working temperature:** 80 °C

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** yes

**Position of manway:** cylinder

**Outlet of tank:** DN80 DIN 11851

**Top:** 4 mm

**Cylinder:** 3 mm

**Bottom:** 5 mm

**Internal diameter tank:** 2.800 mm

**Outer diameter tank:** 3.000 mm

**Cylinder height:** 8.000 mm

**Total height of tank:** 9.900 mm

**SKU:** 483186

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: Pictures show the smaller 31,000 liter version (15487) of the tank; heating jacket approx. 3,930 mm of the lower cylinder height; manhole approx. 430 x 540 mm; tank is currently suspended in a

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 50000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 8.000 mm

Invändig diameter: 2.800 mm

Total höjd: 9.900 mm

Ytterdiameter: 3.000 mm

**Tjocklek på tank**

Botten: 5 mm

Cylinder: 3 mm

Topp: 4 mm

**Mer**

Isolerad: Ja