

50000 liter tank i Rostfritt 304



261 000 SEK /st exkl moms

Additional information: food industry

Volumetric volume (L): 50.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 1460/ 710

Power: 3.8/ 1.0

Internal diameter tank: 3.200 mm

Outer diameter tank: 3.300 mm

Cylinder height: 6.300 mm

Total height of tank: 8.200 mm

SKU: 486983

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: food industry; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 50000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 6.300 mm

Invändig diameter: 3.200 mm

Total höjd: 8.200 mm

Ytterdiameter: 3.300 mm

Omrörare

Kraft (kW): 3.8/ 1.0

Varvtal: 1460/ 710

Mer

Isolerad: Ja
