50000 liter tank i Rostfritt 304



262 000 SEK /st exkl moms

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Volumetric volume (L): 50.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: insulated

Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder
Outlet of tank: available

Internal diameter tank: 3.350 mm
Cylinder height: 5.500 mm
Total height of tank: 7.700 mm
Empty weight tank: 5.000

SKU: 567659

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Food
Omrörare: Nej
Total urtappning: Yes
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 50000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 5.500 mm
Invändig diameter: 3.350 mm
Total höjd: 7.700 mm

Mer

Isolerad: Ja
Vikt: 5.000