

50000 liter tank i Rostfritt 304



360,000,00 SEK /st exkl moms

Additional information: Chocolate; some residues of previous content

Volumetric volume (L): 50.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN65 DIN 11851

Agitator: yes

Internal diameter tank: 3.000 mm

Outer diameter tank: 3.260 mm

Cylinder height: 6.800 mm

Total height of tank: 8.350 mm

Empty weight tank: 4.900

SKU: 298448

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Chocolate; some residues of previous content; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 50000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 6.800 mm

Invändig diameter: 3.000 mm

Total höjd: 8.350 mm

Ytterdiameter: 3.260 mm

Mer

Isolerad: Ja

Vikt: 4.900
