

## 50000 liter tank i Rostfritt 304



**187,000,00 kr /st exkl moms**

**Additional information:** Extensive repair in 2023 (with inspection sticker). Isolated cracks on outer weld seams in the area of the feet (no effect on the statics); insulation cut open in one area (see photos)

**Volumetric volume (L):** 50.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** available

**Agitator:** yes

**Top:** 3 mm

**Bottom:** 4 mm

**Internal diameter tank:** 3.000 mm

**Cylinder height:** 8.000 mm

**SKU:** 569630

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Extensive repair in 2023 (with inspection sticker). Isolated cracks on outer weld seams in the area of the feet (no effect on the statics); insulation cut open in one area (see photos); we can't

Övrig information2: give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 50000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 8.000 mm

Invändig diameter: 3.000 mm

## Tjocklek på tank

Botten: 4 mm

Topp: 3 mm

**Mer**

Isolerad: Ja

---