

50000 liter tank i Rostfritt 304



192,000,00 kr /st exkl moms

Additional information: Extensive repair in 2023 (with inspection sticker). Isolated cracks on outer weld seams in the area of the feet (no effect on the statics); insulation cut open in one area (see photos)

Volumetric volume (L): 50.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Agitator: yes

Top: 3 mm

Bottom: 4 mm

Internal diameter tank: 3.000 mm

Cylinder height: 8.000 mm

SKU: 569630

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Extensive repair in 2023 (with inspection sticker). Isolated cracks on outer weld seams in the area of the feet (no effect on the statics); insulation cut open in one area (see photos); we can't

Övrig information2: give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 50000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 8.000 mm

Invändig diameter: 3.000 mm

Tjocklek på tank

Botten: 4 mm

Topp: 3 mm

Mer

Isolerad: Ja
