

## 5100 liter tank i Rostfritt 304



**70 000 SEK /st exkl moms**

**Additional information:** Fruit juice industry; Attention: Contrary to the information on the nameplate, this tank cannot be heated/cooled; The tank was probably formerly equipped with a heating-coil inside (unlike the welded brackets, this is no longer present); Manhole diameter approx. 420 mm; Insulation is cut out in several places; small dents in the insulation jacket; The outlet pipe tapers towards the tank to an internal

pipe diameter of approx. 80 mm; some residues of previous content; Metallic discolouration inside

**Volumetric volume (L):** 5.100 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 95 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 75 L

**Max Overpressure:** 8 Bar

**Max. working temperature:** 169 °C

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** DN100 DIN 11851

**Internal diameter tank:** 1.890 mm

**Outer diameter tank:** 2.000 mm

**Total height of tank:** 3.050 mm

**SKU:** 300416

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfäric

Konfiguration: insulated

Max. arbetstemperatur: 95 °C

Mobil tank: Nej

Övrig information: Fruit juice industry; Attention: Contrary to the information on the nameplate, this tank cannot be heated/cooled; The tank was probably formerly equipped with a heating-coil inside (unlike the

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5100

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Invändig diameter: 1.890 mm

Total höjd: 3.050 mm

Ytterdiameter: 2.000 mm

**Mer**

Isolerad: Ja

---