


5100 liter tank i Rostfritt 304



72 000 SEK /st exkl moms

Additional information: Manhole diameter: approx. 420 x 320 mm; includes level indicator

Volumetric volume (L): 5.100 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.400 mm

Cylinder height: 3.214 mm

Total height of tank: 3.860 mm

SKU: 705448

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Manhole diameter: approx. 420 x 320 mm; includes level indicator

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5100

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.214 mm

Invändig diameter: 1.400 mm

Total höjd: 3.860 mm

Mer

Isolerad: Nej