5100 liter tank i Rostfritt 304



70 000 SEK /st exkl moms

Additional information: Cip-tank in an ice cream factory; Manhole diameter approx. 420 mm; one of the vessels with spray head, bent outlet and a smaller bump in the upper cylinder area; this vessel is also slightly higher with a total height of approx. 4,400 mm due to the longer feet; some residues of previous content
Volumetric volume (L): 5.100 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: 38
Internal diameter tank: 1.500 mm
Cylinder height: 2.750 mm
Total height of tank: 4.300 mm
Empty weight tank: 600

SKU: 410510

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Cip-tank in an ice cream factory; Diameter Manhole appr. 420 mm; 1 of the tanks with a spray ball, the end of the outlet cut off and a smaller dent in the upper cylinder area; with a total height of
Övrig information2: approx. 4.400 mm, this tank is also slightly higher due to the longer feet ; some residues of previous content
Omrörare: Nej
Total urtappning: Yes
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 5100

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.750 mm
Invändig diameter: 1.500 mm
Total höjd: 4.300 mm

Mer
Isolerad: Nej
Vikt: 600