520 liter tank i Syrafast 316

28 000 SEK /st exkl moms

Additional information: Tank mounted on 4 plastic wheels; tank is slightly out of round due to its design
Volumetric volume (L): 520 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: 48

Internal diameter tank: 930 mm
Cylinder height: 730 mm
Total height of tank: 1.000 mm

SKU: 737941

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Tank mounted on 4 plastic wheels; tank is slightly out of round due to its design
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 520

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 730 mm
Invändig diameter: 930 mm
Total höjd: 1.000 mm

Mer

Isolerad: Nej

Rodervägen 57
891 78 Bonässund
info@processoverskott.se