

## 52000 liter tank i GAP/Plast



**110,000,00 kr /st exkl moms**

**Article type:** second-hand miscellaneous equipment

**Additional information:** Never used, with manufacturer's warranty 6 months, with food grade certificate, also suitable for liquid fertilizer.

**Volumetric volume (L):** 52.000 L

**Max. density P (kg/m<sup>3</sup>):** 1.300

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 40 °C

**Material wet parts:** polyester (fiberglass)

**Model:** vertical



**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** flat

**Total discharge:** no

**Manway(s):** RVS 316

**Gasket manway(s):** EPDM

**Valve:** RVS 316

**Gasket shut-off valve (mat):** EPDM

**Suitable for food industry:** yes

**Documents included:** yes, optional

**Technical drawing included:** yes

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** cylinder

**Height manhole 1 (mm):** 320 mm x H 435 mm

**Total outlet valve:** yes

**Agitator:** no

**Distance from outlet to ground:** 350 mm

**Outer diameter tank:** 3.000 mm

**Cylinder height:** 6.770 mm

**Total height of tank:** 7.895 mm

**Empty weight tank:** 1.400

**SKU:** 182653

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: GAP/Plast

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 40 °C

Maximal densitet för produkten: 1300

Mobil tank: Nej

Övrig information: Never used, with manufacturer's warranty 6 months, with food grade certificate, also suitable for liquid fertilizer.

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Nej

Typ av botten: flat

Uppvärmning/kylning: Nej

Vätskeberörd yta: polyester (fiberglass)

Volym i liter: 52000

### Utrustning

Fläns för omrörare: Nej

Märkskylt: Nej

Livsmedelsklassad: Ja

Teknisk ritning finns: Ja

Utloppsventil: Ja

### Översikt material

Material: GAP/Plast

## **Dimensioner av tank**

Cylinderhöjd: 6.770 mm

Mått utlopp till marken: 350 mm

Total höjd: 7.895 mm

Ytterdiameter: 3.000 mm

## **Mer**

Isolerad: Nej

Vikt: 1.400