

523 liter tank i Rostfritt 304



44 000 SEK /st exkl moms

item available on order

Article type: brand new transport tank - type IBC-PL

Additional information: We can take more containers in production for you.

Volumetric volume (L): 523 L

Max. density P (kg/m³): 1.900

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin



Heat exchanger: no

Insulation: no

Mobile tank: yes

Top type: dished

Shape of tank: square

Bottom type: dished

Total discharge: yes

Fixation points: 4 non adjustable feet

Fixation point(s): plastic

Suitable for food industry: yes

Documents included: yes, optional

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: at the top

Height manhole 1 (mm): 400 mm

CIP spray ball: no

Total outlet valve: yes

Agitator: no, optional

Top: 1,50 mm

Cylinder: 1,50 mm

Bottom: 1,50 mm

Total height of tank: 980 mm

Empty weight tank: 600

SKU: 5612

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Nyttillverkad

Konfiguration: single-skin

Maximal densitet för produkten: 1900

Mobil tank: Ja

Övrig information: We can take more containers in production for you.

Omrörare: Nej

Tankens form: square

Total urtappning: Ja

Typ av botten: dished

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 523

Utrustning

Fläns för omrörare: Nej

Märkskylt: Ja

Livsmedelsklassad: Ja

Teknisk ritning finns: Ja

Utloppsventil: Ja

Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): plastic

Dimensioner av tank

Total höjd: 980 mm

Tjocklek på tank

Botten: 1,50 mm

Cylinder: 1,50 mm

Topp: 1,50 mm

Mer

Isolerad: Nej

Vikt: 600