523 liter tank i Rostfritt 304



44 000 SEK /st exkl moms

item available on order

Article type: brand new transport tank - type IBC-PL
Additional information: We can take more containers in production for you.
Volumetric volume (L): 523 L
Max. density P (kg/m³): 1.900
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Insulation: no
Mobile tank: yes

Top type: dished
Shape of tank: square
Bottom type: dished
Total discharge: yes
Fixation points: 4 non adjustable feet

Fixation point(s): plastic
Suitable for food industry: yes
Documents included: yes, optional
Technical drawing included: yes
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: at the top
Height manhole 1 (mm): 400 mm
CIP spray ball: no
Total outlet valve: yes

Agitator: no, optional
Top: 1,50 mm
Cylinder: 1,50 mm
Bottom: 1,50 mm
Total height of tank: 980 mm

Empty weight tank: 600

SKU: 374612

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Nytillverkad
Konfiguration: single-skin
Maximal densitet för produkten: 1900
Mobil tank: Ja
Övrig information: We can take more containers in production for you.
Omrörare: Nej
Tankens form: square
Total urtappning: Yes
Typ av botten: dished
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 523

Utrustning

Fläns för omrörare: Nej
Märkskylt: Ja
Livsmedelsklassad: Ja
Teknisk ritning finns: Ja
Utloppsventil: Ja

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): plastic

Dimensioner av tank

Total höjd: 980 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tjocklek på tank
Botten: 1,50 mm
Cylinder: 1,50 mm
Topp: 1,50 mm

Mer
Isolerad: Nej
Vikt: 600