

530 liter tank i Syrafast 316



120,000,00 kr /st exkl moms

Additional information: Outlet DN 60 DIN 11851; reinforcement ribs inside under the upper bottom (removable); 2 fork pockets on the outside of the lower bottom

Volumetric volume (L): 530 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 95 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: no

Max Overpressure: 2 Bar

Max. working temperature: 95 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Internal diameter tank: 820 mm

Total height of tank: 1.530 mm

SKU: N/A

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 95 °C

Mobil tank: Nej

Övrig information: Outlet DN 60 DIN 11851; reinforcement ribs inside under the upper bottom (removable); 2 fork pockets on the outside of the lower bottom

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 530

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 820 mm

Total höjd: 1.530 mm

Mer

Isolerad: Nej