

## 530 liter tank i Syrafast 316



**42,000,00 kr /st exkl moms**

**Additional information:** Biochemistry; Handhole DN 200; some residues of previous content

**Volumetric volume (L):** 530 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3,20 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 48

**Internal diameter tank:** 790 mm

**Cylinder height:** 850 mm

**Total height of tank:** 1.850 mm

**SKU:** 564784

Mer information

## Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: pressure and vacuum  
Konfiguration: single-skin  
Max. arbetstemperatur: 100 °C  
Mobil tank: Nej  
Övrig information: Biochemistry; Handhole DN 200; some residues of previous content  
Omrörare: Nej  
Övertryck: 3,20 Bar  
Total urtappning: Ja  
Undertryck (vakuum): 1 Bar  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 316 (V4A)  
Volym i liter: 530

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 850 mm  
Invändig diameter: 790 mm  
Total höjd: 1.850 mm

**Mer**

Isolerad: Nej

---