

53000 liter tank i Rostfritt 304



183,000 SEK /st exkl moms

Additional information: Brewery; 3 reinforcement rings Fe with 2 feet each (Attention: tank diameter deeper than tank feet; note when setting up); 1 manhole in the front floor; up to 2 additional identical vessels can be offered on request

Volumetric volume (L): 53.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: horizontal

Configuration: single jacketed with heat-exchanger
Heat exchanger: yes
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: available

Internal diameter tank: 3.000 mm
Total outer length: 7.900 mm

SKU: 564529

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Brewery; 3 reinforcement rings Fe with 2 feet each (Attention: tank diameter lower than tank feet; note when setting up); 1 manhole in the front floor

Övrig information2: offered on request

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 53000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 3.000 mm

Mer

Isolerad: Nej