

## 53000 liter tank i Rostfritt 304



**183,000 SEK /st exkl moms**

**Additional information:** Brewery; 3 reinforcement rings Fe with 2 feet each (Attention: tank diameter deeper than tank feet; note when setting up); 1 manhole in the front floor; up to 2 additional identical vessels can be offered on request

**Volumetric volume (L):** 53.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** horizontal

**Configuration:** single jacketed with heat-exchanger  
**Heat exchanger:** yes  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Outlet of tank:** available

**Internal diameter tank:** 3.000 mm  
**Total outer length:** 7.900 mm

**SKU:** 564529

Mer information



## Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Brewery; 3 reinforcement rings Fe with 2 feet each (Attention: tank diameter lower than tank feet; note when setting up); 1 manhole in the front floor

Övrig information2: offered on request

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 53000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 3.000 mm

## Mer

Isolerad: Nej