

5320 liter tank i Rostfritt 304



70 000 SEK /st exkl moms

Additional information: Wine storage; 1 manhole approx. 320 x 415 mm in the cylinder; 1 screwed-on outlet fitting with disc tap enlarges the outlet to DN 50 DIN 11851; vessels were professionally cleaned and overhauled in 2024; brand-new residual drain valves and manhole seals were installed; small dents in the tank feet

Volumetric volume (L): 5.320 L
Pressure in tank: ATM - atmosferic
Max. pressure (Bar): 8 Bar
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: cylinder
Outlet of tank: DN40 DIN 11851
Top: 4,80 mm
Cylinder: 4,80 mm
Bottom: 5,20 mm

Internal diameter tank: 1.580 mm
Cylinder height: 2.000 mm
Total height of tank: 3.350 mm

SKU: 474362

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Wine storage; 1 manhole approx. 320 x 415 mm in the cylinder; 1 screwed outlet fitting with butterfly valve enlarges the outlet to DN 50 DIN 11851; tanks were professionally cleaned and overhauled

Övrig information2: in 2024; brand new residual drain valves and manhole seals were installed; small dents in the tank feet

Omrörare: Nej

Övertryck: 8 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5320

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.580 mm

Total höjd: 3.350 mm

Tjocklek på tank

Botten: 5,20 mm

Cylinder: 4,80 mm

Topp: 4,80 mm

Mer

Isolerad: Nej