5320 liter tank i Rostfritt 304



70 000 SEK /st exkl moms

Additional information: Wine storage; 1 manhole approx. 320 x 415 mm in the cylinder; 1 screwed-on outlet fitting with disc tap enlarges the outlet to DN 50 DIN 11851; vessels were professionally cleaned and overhauled in 2024; brand-new residual drain valves and manhole seals were installed; small dents in the tank feet
Volumetric volume (L): 5.320 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Pressure in tank: pressure
Max. pressure (Bar): 8 Bar
Min. pressure (Bar): 8 Bar

Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: cylinder
Outlet of tank: DN40 DIN 11851
Top: 4,80 mm
Cylinder: 4,80 mm

Bottom: 5,20 mm
Internal diameter tank: 1.580 mm
Cylinder height: 2.000 mm
Total height of tank: 3.350 mm

SKU: 474362-1

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Wine storage; 1 manhole approx. 320 x 415 mm in the cylinder; 1 screwed outlet fitting with butterfly valve enlarges the outlet to DN 50 DIN 11851; tanks were professionally cleaned and overhauled
Övrig information2: in 2024; brand new residual drain valves and manhole seals were installed; small dents in the tank feet
Omrörare: Nej
Övertryck: 8 Bar
Total urtappning: Ja
Undertryck (vakuum): 8 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 5320

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm
Invändig diameter: 1.580 mm
Total höjd: 3.350 mm

Tjocklek på tank
Botten: 5,20 mm
Cylinder: 4,80 mm
Topp: 4,80 mm

Mer
Isolerad: Nej