


53700 liter tank i Syrafast 316



558 000 SEK /st exkl moms

Additional information: Yeast; Manhole approx. 510 x 410 mm; half-pipe coils in the lower cylinder section and bottom panel (2 separate circuits, see drawing); Tank feet are included separately; the weld seam of the insulation jacket has come loose in one spot on the upper bottom (see photos)

Volumetric volume (L): 53.700 L

Pressure in tank: pressure



Max. temperature (°C): 110 °C
Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Volume: 16 L
Max Overpressure: 4 Bar
Max. working temperature: 110 °C
Documents included: no

Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: 108
Agitator: yes

Number of revolutions: 358
Power: 4
Top: 4 mm
Cylinder: 4 mm
Bottom: 5 mm

Internal diameter tank: 3.240 mm
Outer diameter tank: 3.412 mm
Cylinder height: 5.850 mm
Total height of tank: 9.800 mm

SKU: 703364



Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: insulated

Max. arbetstemperatur: 110 °C

Mobil tank: Nej

Övrig information: Food; Manhole diameter: approx. 510 x 410 mm; dimensions as shown in the drawing; solid-tube coils in the lower cylinder section and at the bottom are suitable for cooling only (2 separate circuits;

Övrig information2: see drawing); we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 53700

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316



Dimensioner av tank

Cylinderhöjd: 5.850 mm
Invändig diameter: 3.240 mm
Total höjd: 9.414 mm
Ytterdiameter: 3.412 mm

Omrörare

Kraft (kW): 4
Varvtal: 358

Tjocklek på tank

Botten: 5 mm
Cylinder: 4 mm
Topp: 4 mm

Mer

Isolerad: Ja