5400 liter tank i Rostfritt 304



68 000 SEK /st exkl moms

Additional information: Manhole approx. 295 x 395 mm; the outlet extension of one vessel has been bent off (supplied loose); another vessel with 1 dent in the cylinder/upper bottom transition (see photos); some residues of previous content
Volumetric volume (L): 5.400 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN80 DIN 11851
Internal diameter tank: 1.690 mm
Cylinder height: 2.250 mm
Total height of tank: 4.050 mm

SKU: 398777

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Brewery; Manhole approx. 295 x 395 mm; the outlet extension of 1 tank is cut off (loosely enclosed); another tank with 1 dent in the transition from the cylinder to the upper bottom (see photos);
Övrig information2: some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 5400

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.250 mm
Invändig diameter: 1.690 mm
Total höjd: 4.050 mm

Mer

Isolerad: Nej

Rodervägen 57
891 78 Bonässund
info@processoverskott.se