550 liter tank i Rostfritt 304



67 000 SEK /st exkl moms

Volumetric volume (L): 550 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Configuration: insulated

Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes
Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Position of manway: in the bottom
Outlet of tank: DN50 DIN 11851
Agitator: yes
Number of revolutions: 460
Power: 0,11

Internal diameter tank: 940 mm
Outer diameter tank: 1.160 mm
Cylinder height: 800 mm
Total height of tank: 2.150 mm

SKU: 404873

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated with heat-exchanger
Mobil tank: Nej
Övrig information: pharmacy; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 550

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 800 mm
Invändig diameter: 940 mm
Total höjd: 2.150 mm
Ytterdiameter: 1.160 mm

Omrörare

Kraft (kW): 0,11
Varvtal: 460

Mer
Isolerad: Ja