550 liter tank i Rostfritt 304



27 000 SEK /st exkl moms

Additional information: Wine storage; 1 manhole approx. 300 x 400 mm in the front base; 1 screwed-on outlet fitting with disc tap enlarges the outlet to DN 50 DIN 11851; remnants of 2 cut-off stainless steel parts on the outside of the cylinder (see photos)
Volumetric volume (L): 550 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)
Model: horizontal

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: DN40 DIN 11851

Internal diameter tank: 800 mm
Total height of tank: 1.100 mm
Total outer length: 1.600 mm

SKU: 463482

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Wine storage; 1 manhole approx. 300 x 400 mm in the front bottom; 1 screwed outlet fitting with butterfly valve enlarges the outlet to DN 50 DIN 11851; cutting residues from 2 cut-off stainless
Övrig information2: steel parts on the outside of the cylinder (see photos)
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 550

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 800 mm
Total höjd: 1.100 mm

Mer

Isolerad: Nej