

5500 liter tank i Rostfritt 304



57,000,00 kr /st exkl moms

Additional information: Spirits; Diameter manhole 480 mm; stronger adhesions inside the tank; 1 connection in the upper bottom was cut out by the previous operator (see photos); Metallic discolouration inside

Volumetric volume (L): 5.500 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851
Agitator: yes
Number of revolutions: 1.440
Power: 1,10
Internal diameter tank: 1.810 mm

Cylinder height: 2.000 mm
Total height of tank: 2.900 mm

SKU: 276529

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Spirits; Diameter manhole 480 mm; stronger adhesions inside the tank; 1 connection in the upper bottom was cut out by the previous operator (see photos) ; Metallic discolouration inside; we can't

Övrig information2: give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.810 mm

Total höjd: 2.900 mm

Omrörare

Kraft (kW): 1,10

Varvtal: 1.440

Mer

Isolerad: Nej
