

## 5500 liter tank i Rostfritt 304



**56 000 SEK /st exkl moms**

**Additional information:** Spirits; Diameter manhole 480 mm; stronger adhesions inside the tank; 1 connection in the upper bottom was cut out by the previous operator (see photos); Metallic discolouration inside

**Volumetric volume (L):** 5.500 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** in the bottom

**Outlet of tank:** DN50 DIN 11851  
**Agitator:** yes  
**Number of revolutions:** 1.440  
**Power:** 1,10  
**Internal diameter tank:** 1.810 mm

**Cylinder height:** 2.000 mm  
**Total height of tank:** 2.900 mm

**SKU:** 276529

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Spirits; Diameter manhole 480 mm; stronger adhesions inside the tank; 1 connection in the upper bottom was cut out by the previous operator (see photos) ; Metallic discolouration inside; we can't

Övrig information2: give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.810 mm

Total höjd: 2.900 mm

## Omrörare

Kraft (kW): 1,10

Varvtal: 1.440

**Mer**

Isolerad: Nej

---