

## 5520 liter tank i Rostfritt 304



**69,000,00 kr /st exkl moms**

**Additional information:** Dairy; Manhole diameter 450 mm (suspension of the manhole cover incomplete); some residues of previous content; pipe end cut flush; Metallic discolouration inside

**Volumetric volume (L):** 5.520 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** available

**Internal diameter tank:** 1.790 mm

**Cylinder height:** 2.000 mm

**Total height of tank:** 4.050 mm

**SKU:** 273403

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Dairy; Manhole diameter 450 mm (suspension of the manhole cover incomplete); some residues of previous content; pipe end cut flush; Metallic discolouration inside

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5520

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.790 mm

Total höjd: 4.050 mm

## Mer

Isolerad: Nej