# 565 liter tank i Rostfritt 304



18 000 SEK /st exkl moms

**Additional information**: Frame made of Fe (galvanized; 1 small dent in the frame); traces of usage
**Volumetric volume (L)**: 565 L
**Pressure in tank**: ATM - atmosferic
**Material wet parts**: SS AISI 304 (V2A)

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

**Model**: vertical

**Configuration**: single-skin
**Heat exchanger**: no
**Insulation**: no
**Mobile tank**: no
**Total discharge**: yes

**Documents included**: no
**Technical drawing included**: no
**Registration plate on the tank**: yes
**Flange for agitator**: no
**Position of manway**: headside

**Outlet of tank**: DN50 DIN 11851
**Internal diameter tank**: 1.080 mm
**Total height of tank**: 1.080 mm
**Total outer width**: 1.120 mm
**Total outer length**: 1.120 mm

**SKU:** 705382

## Mer information

**Beskrivning av produkt**
Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Frame made of Fe (galvanized; 1 small dent in the frame); traces of usage
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 565

**Utrustning**
Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

**Översikt material**
Material: Rostfritt 304

**Dimensioner av tank**
Invändig diameter: 1.080 mm
Total höjd: 1.080 mm

**Mer**
Isolerad: Nej