

## 568 liter tank i Syrafast 316



**108,000,00 kr /st exkl moms**

**Article type:** second-hand pressure tank

**Additional information:** Pharmacy; scratches inside

**Volumetric volume (L):** 568 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 2 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 134 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 108 L

**Max Overpressure:** 2 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 134 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** yes

**Outlet of tank:** 23

**Internal diameter tank:** 810 mm

**Outer diameter tank:** 900 mm

**Cylinder height:** 850 mm

**Total height of tank:** 1.830 mm

**Empty weight tank:** 750

**SKU:** 278272

## Mer information

### Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: pressure and vacuum  
Konfiguration: single jacketed with heat-exchanger  
Max. arbetstemperatur: 134 °C  
Mobil tank: Nej  
Övrig information: Pharmacy; scratches inside  
Omrörare: Nej  
Övertryck: 2 Bar  
Total urtappning: Ja  
Undertryck (vakuum): 1 Bar  
Trycktank: Ja  
Uppvärmning/kylning: Ja  
Vätskeberörd yta: SS AISI 316 (V4A)  
Volym i liter: 568

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Ja  
Märkskylt: Ja  
Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

## **Dimensioner av tank**

Cylinderhöjd: 850 mm  
Invändig diameter: 810 mm  
Total höjd: 1.830 mm  
Ytterdiameter: 900 mm

## **Mer**

Isolerad: Nej  
Vikt: 750