

5700 liter tank i Syrafast 316



90 000 SEK /st exkl moms

Additional information: Food; Heating of the lower floor was welded shut by the previous operator; temporary, loose hinged segment with rectangular opening for the cover made of stainless steel 304; bump at the insulation jacket; pipe end cut flush

Volumetric volume (L): 5.700 L

Pressure in tank: ATM - atmosferic
Max. temperature (°C): 80 °C
Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: 65
Agitator: yes
Number of revolutions: 8,80
Internal diameter tank: 1.900 mm
Outer diameter tank: 2.030 mm

Cylinder height: 2.000 mm
Total height of tank: 3.250 mm

SKU: 566246

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: Food; Heating of the lower floor was welded shut by the previous operator; temporary, loose hinged segment with rectangular opening for the cover made of stainless steel 304; bump at the insulation

Övrig information2: jacket; pipe end cut flush; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 5700

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.900 mm

Total höjd: 3.250 mm

Ytterdiameter: 2.030 mm

Omrörare

Varvtal: 8,80

Mer

Isolerad: Ja
