



60 000 liter i rostfritt 304





## General

<b>Finishing weldings inside</b>	Grinded
<b>Number</b>	1
<b>Capacity (Liters)</b>	60000
<b>Type tank</b>	Storage tank
<b>Fixation</b>	NON
<b>Model of the tank</b>	Vertical
<b>Shape of the tank</b>	Cylindrical
<b>Bottom</b>	Inclined bottom
<b>Tank model</b>	Single wall
<b>Number lifting lugs</b>	3
<b>Number of manhole</b>	2
<b>Position of manhole (s)</b>	Top and Cylindrical part
<b>Dimensions of manholes</b>	Ø436mm
<b>Tank with total drain?</b>	Yes
<b>Type of outlet (s)</b>	Gat
<b>Diameter of outlet (mm)</b>	254
<b>Last application</b>	Food
<b>Provision tank cleaning</b>	None
<b>Weight (kg)</b>	3200
<b>Condition</b>	Used
<b>Type plate manufacturer</b>	Yes
<b>Manufacturer</b>	Holvrieka
<b>Year Built</b>	1993
<b>Construction data available</b>	No
<b>Working temperature (° C)</b>	20
<b>Top side</b>	
<b>Configuration top-side</b>	Closed
<b>Detail closed top side</b>	Conical bottom
<b>Thickness closed dome (mm)</b>	2,5



### Dimensions

Cylinder Thickness (mm)	4
Bottom thickness (mm)	4
Cylindrical length (mm)	10500
Outside diameter tank (mm)	3010
Total height (mm)	11110
Diameter tank (mm)	2800

### Insulation

Insulation	Yes
Performance insulation	cylinder and top isolated
Type of insulation	Insulating wool
Thickness (mm)	80
Finishing insulation	Profile Cladding
Insulation material	Aluminium

### Heating

Number of heating type	1
Heating 1: Type	Halfpipe
Heating 1: Max. service pressure	3
Heating 1: Max. test pressure	4,5

SKU: 1264

## Additional Information

Volym i liter	60000
Antal	1



Isolerad	Ja
Material	Rostfritt 304
Modell	Vertikal
Omrörare	Nej
Uppvärmning/kylning	Ja
Livsmedelsklassad	Ja
Nyttillverkad/Begagnad	Begagnad