

60 liter tank i Rostfritt 304



39,000,00 SEK /st exkl moms

Additional information: Pharmacy; Double jacket for (on-site) filling with thermal oil and indirect electrical heating by means of an electrical plug-in heater

Volumetric volume (L): 60 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN20 DIN 11851

Agitator: yes

Number of revolutions: 77 - 540

Power: 0,55

Internal diameter tank: 390 mm

Outer diameter tank: 460 mm

Cylinder height: 520 mm

Total height of tank: 1.700 mm

SKU: 565661

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Pharmacy; Double jacket for (on-site) filling with thermal oil and indirect electrical heating by means of an electrical plug-in heater; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 60

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 520 mm

Invändig diameter: 390 mm

Total höjd: 1.700 mm

Ytterdiameter: 460 mm

Omrörare

Kraft (kW): 0,55

Varvtal: 77 – 540

Mer

Isolerad: Nej
