

## 600 liter tank i Rostfritt 304



**71,000,00 kr /st exkl moms**

**Additional information:** Pharmacy; Frame, stainless steel 304; including control unit (for steam sterilization and pressure superimposition; see photos)

**Volumetric volume (L):** 600 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the bottom:** half pipe welded onto the outside of the innertank

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** available

**Agitator:** yes

**Number of revolutions:** 900

**Power:** 0,25

**Internal diameter tank:** 850 mm

**Outer diameter tank:** 1.050 mm

**Total height of tank:** 2.000 mm

**SKU:** 564139

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfäric

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Pharmacy; Frame, stainless steel 304; including control unit (for steam sterilization and pressure superimposition; see photos); we can't give any guarantees about the heating/cooling jacket; we

Övrig information2: can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 600

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Invändig diameter: 850 mm

Total höjd: 2.000 mm

Ytterdiameter: 1.050 mm

## Omrörare

Kraft (kW): 0,25

Varvtal: 900

**Mer**

Isolerad: Ja

---