

## 600 liter tank i Rostfritt 304



**48 000 SEK /st exkl moms**

**Additional information:** Hand hole diameter 250 mm; 1 level indicator with float (incomplete); smaller dents in the insulating jacket; The hand lever of the disk valve is defective

**Volumetric volume (L):** 600 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** 70

**Agitator:** yes

**Number of revolutions:** 55 - 275

**Internal diameter tank:** 700 mm

**Outer diameter tank:** 840 mm

**Cylinder height:** 1.480 mm

**Total height of tank:** 2.950 mm

**SKU:** 278158

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Hand hole diameter 250 mm; 1 level indicator with float (incomplete); smaller dents in the insulating jacket; The hand lever of the disk valve is defective; we can't give any guarantees about the

Övrig information2: heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 600

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.480 mm

Invändig diameter: 700 mm

Total höjd: 2.950 mm

Ytterdiameter: 840 mm

## Omrörare

Varvtal: 55 – 275

**Mer**

Värmeväxlare: RVS 304

Isolerad: Ja