

600 liter tank i Rostfritt 304



52,000,00 kr /st exkl moms

Additional information: Hand hole diameter 250 mm; 1 level indicator with float (incomplete); smaller dents in the insulating jacket; The hand lever of the disk valve is defective

Volumetric volume (L): 600 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 70

Agitator: yes

Number of revolutions: 55 - 275

Internal diameter tank: 700 mm

Outer diameter tank: 840 mm

Cylinder height: 1.480 mm

Total height of tank: 2.950 mm

SKU: 278158

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Hand hole diameter 250 mm; 1 level indicator with float (incomplete); smaller dents in the insulating jacket; The hand lever of the disk valve is defective; we can't give any guarantees about the

Övrig information2: heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 600

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.480 mm

Invändig diameter: 700 mm

Total höjd: 2.950 mm

Ytterdiameter: 840 mm

Omrörare

Varvtal: 55 – 275

Mer

Värmeväxlare: RVS 304

Isolerad: Ja
