600 liter tank i Rostfritt 304



13 000 SEK /st exkl moms

Additional information: Food industry; Partially slightly larger residues of fruit pulp inside; some residues of previous content; traces of usage
Volumetric volume (L): 600 L
Pressure in tank: vacuum
Max. pressure (Bar): 1 Bar

Min. pressure (Bar): 0,15 Bar

Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: headside
Outlet of tank: DN50 DIN 11851
Internal diameter tank: 790 mm
Cylinder height: 1.030 mm

Total height of tank: 1.740 mm
Empty weight tank: 100

SKU: 433964

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Food industry; Partly slightly larger residues of fruit pulp inside; some residues of previous content;traces of usage
Omrörare: Nej
Övertryck: 1 Bar
Total urtappning: Ja
Undertryck (vakuum): 0,15 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 600

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.030 mm
Invändig diameter: 790 mm
Total höjd: 1.740 mm

Mer
Isolerad: Nej
Vikt: 100

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se