

600 liter tank i Rostfritt 304



155 000 SEK /st exkl moms

Additional information: Food industry; A ploughshare mixer is an industrial system that is used for the homogeneous mixing of solids, liquids or pasty materials. Special ploughshares rotate in the mixing container and create a turbulent flow, which distributes the mixing components evenly. These mixers can be used in a variety of applications, for example in the food, chemical or construction industries, and are particularly suitable for mixing powders, granulates or pasty masses.

Volumetric volume (L): 600 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Configuration: single jacketed with heat-exchanger

Heat exchanger: yes
Insulation: no
Mobile tank: no
Total discharge: no
Max Overpressure: 0,50 Bar

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Number of revolutions: 1.465

Power: 22
Total height of tank: 1.080 mm
Total outer width: 1.150 mm
Total outer length: 3.600 mm

SKU: 463380

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Food industry; A ploughshare mixer is an industrial system that is used for the homogeneous mixing of solids, liquids or pasty materials. Special ploughshares rotate in the mixing container and

Övrig information2:

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 600

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.080 mm

Omrörare

Kraft (kW): 22

Varvtal: 1.465

Mer

Isolerad: Nej
