

600 liter tank i Rostfritt 304



29 000 SEK /st exkl moms

Additional information: Pharmacy; 4 support brackets, Aisi 304 (currently temporarily screwed onto 4 wooden beams); 1 circular opening in the tank lid (see photos)

Volumetric volume (L): 600 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN32 DIN 11851

Agitator: yes

Number of revolutions: 350 - 1750

Power: 1

Internal diameter tank: 790 mm

Cylinder height: 1.220 mm

Total height of tank: 2.420 mm

SKU: 481648

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; 4 support brackets, Aisi 304 (currently temporarily screwed onto 4 wooden beams); 1 circular opening in the tank lid (see photos); we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 600

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.220 mm

Invändig diameter: 790 mm

Total höjd: 2.420 mm

Omrörare

Kraft (kW): 1

Varvtal: 350 – 1750

Mer

Isolerad: Nej
