

## 600 liter tank i Syrafast 316



## 36,000,00 kr /st exkl moms

**Additional information:** some residues of previous content

**Volumetric volume (L):** 600 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** available

**Agitator:** yes

**Power:** 0,25

**Internal diameter tank:** 670 mm

**Cylinder height:** 1.270 mm

**Total height of tank:** 2.050 mm

**SKU:** 391703

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 600

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

### Dimensioner av tank

Cylinderhöjd: 1.270 mm

Invändig diameter: 670 mm

Total höjd: 2.050 mm

**Omrörare**

Kraft (kW): 0,25

**Mer**

Isolerad: Nej

---