

6000 liter tank i Rostfritt 304



167,000,00 kr /st exkl moms

Additional information: Ice cream factory; Diameter manhole appr. 490 mm

Volumetric volume (L): 6.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN50

Agitator: yes

Number of revolutions: 35

Power: 2,20

Internal diameter tank: 1.750 mm

Outer diameter tank: 1.900 mm

Cylinder height: 2.250 mm

Total height of tank: 3.750 mm

SKU: 303205

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Ice cream factory; Diameter manhole appr. 490 mm; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 6000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.250 mm

Invändig diameter: 1.750 mm

Total höjd: 3.750 mm

Ytterdiameter: 1.900 mm

Omrörare

Kraft (kW): 2,20

Varvtal: 35

Mer

Isolerad: Ja
