

6000 liter tank i Rostfritt 304



85 000 SEK /st exkl moms

Additional information: chemistry (plant extracts); Manhole diameter approx. 410 mm; adhesions and slight metallic discoloration inside the vessels

Volumetric volume (L): 6.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 710

Power: 1,30

Cylinder: 3 mm

Bottom: 3 mm

Internal diameter tank: 1.580 mm

Cylinder height: 3.000 mm

Total height of tank: 4.200 mm

SKU: 451634

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: chemistry (plant extracts); Manhole diameter approx. 410 mm; adhesions and slight metallic discolouration inside the tanks; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 6000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 1.580 mm

Total höjd: 4.200 mm

Omrörare

Kraft (kW): 1,30

Varvtal: 710

Tjocklek på tank

Botten: 3 mm

Cylinder: 3 mm

Mer

Isolerad: Nej