

6000 liter tank i Rostfritt 304



118 000 SEK /st exkl moms

Additional information: Sparkling wine; 1 oval manhole (approx. 420 x 320mm) in the front floor; information in the drawing on cylinder length not correct; various loose fittings in the tanks (were not taken into account when specifying the tank dimensions); some residues of previous content

Volumetric volume (L): 6.000 L

Pressure in tank: ATM - atmosferic
Max. pressure (Bar): 8 Bar
Material wet parts: SS AISI 304 (V2A)

Model: horizontal
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: DN40 DIN 11851
Cylinder: 5 mm
Bottom: 5 mm
Internal diameter tank: 1.580 mm
Total height of tank: 1.900 mm

Total outer width: 1.595 mm
Total outer length: 3.500 mm

SKU: 451991

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Sparkling wine; 1 oval manhole (approx. 420 x 320mm) in the front floor; information in the drawing on cylinder length not correct; various loose fittings in the tanks (were not taken into account

Övrig information2: when specifying the tank dimensions); some residues of previous content

Omrörare: Nej

Övertryck: 8 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 6000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 1.580 mm

Total höjd: 1.900 mm

Tjocklek på tank

Botten: 5 mm

Cylinder: 5 mm

Mer

Isolerad: Nej