

6000 liter tank i Rostfritt 304



60 000 SEK /st exkl moms

Additional information: Cip-tank in a dairy; Manhole diameter approx. 425 mm; 1 height-adjustable screw of the feet is missing; pipes on the tank (partially cut off); internal fixtures (see photos); some residues of previous content

Volumetric volume (L): 6.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: 80
Top: 1,90 mm
Cylinder: 1,90 mm
Bottom: 2 mm
Internal diameter tank: 1.800 mm

Cylinder height: 2.400 mm
Total height of tank: 3.700 mm

SKU: 278368

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cip-tank in a dairy; Manhole diameter approx. 425 mm; 1 height-adjustable screw of the feet is missing; pipes on the tank (partially cut off); internal fixtures (see photos); some residues of

Övrig information2: previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 6000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.400 mm

Invändig diameter: 1.800 mm

Total höjd: 3.700 mm

Tjocklek på tank

Botten: 2 mm

Cylinder: 1,90 mm

Topp: 1,90 mm

Mer

Isolerad: Nej