

6000 liter tank i Rostfritt 304



67 000 SEK /st exkl moms

Additional information: Cip-tank; Manhole diameter 420 mm; Butterfly valve of the outlet defective; Various pipes on the tank (mostly cut off); 2 of the 3 height-adjustable screws of the feet are missing; some residues of previous content

Volumetric volume (L): 6.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.740 mm
Outer diameter tank: 1.850 mm
Cylinder height: 2.490 mm
Total height of tank: 4.350 mm

Empty weight tank: 1.000

SKU: 278956

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Cip-tank; Manhole diameter 420 mm; Butterfly valve of the outlet defective;

Various pipes on the tank (mostly cut off); 2 of the 3 height-adjustable screws of the feet are missing; some residues of

Övrig information2: previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 6000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.490 mm

Invändig diameter: 1.740 mm

Total höjd: 4.350 mm

Ytterdiameter: 1.850 mm

Mer

Isolerad: Ja

Vikt: 1.000
