6000 liter tank i Rostfritt 304



162 000 SEK /st exkl moms

Volumetric volume (L): 6.000 L
Pressure in tank: pressure
Material wet parts: SS AISI 304 (V2A)
Model: vertical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Configuration: insulated

Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes
Max Overpressure: 4 Bar

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: available
Agitator: yes
Internal diameter tank: 2.200 mm
Total height of tank: 2.800 mm

SKU: 708097

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 6000

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 2.200 mm
Total höjd: 2.800 mm

Mer

Isolerad: Ja