

## 60000 liter tank i Rostfritt 304



**270 000 SEK /st exkl moms**

**Additional information:** food industry; Container feet are spacers for the substructure/foundation. Small repairs on the inside

**Volumetric volume (L):** 60.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** available

**Agitator:** yes

**Internal diameter tank:** 3.500 mm

**Outer diameter tank:** 3.610 mm

**Cylinder height:** 6.500 mm

**Total height of tank:** 7.200 mm

**Empty weight tank:** 6.000

**SKU:** 485660

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: food industry; tank feet are spacers for the substructure/foundation. Small repair areas inside; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 60000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 6.500 mm

Invändig diameter: 3.500 mm

Total höjd: 7.200 mm

Ytterdiameter: 3.610 mm

## Mer

Isolerad: Ja

Vikt: 6.000

