60000 liter tank i Rostfritt 304



271 000 SEK /st exkl moms

Additional information: food industry; Container feet are spacers for the substructure/foundation. Small repairs on the inside
Volumetric volume (L): 60.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: available
Agitator: yes
Internal diameter tank: 3.500 mm
Outer diameter tank: 3.610 mm
Cylinder height: 6.500 mm

Total height of tank: 7.200 mm
Empty weight tank: 6.000

SKU: 485660

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: food industry; tank feet are spacers for the substructure/foundation. Small repair areas inside; we can’t give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 60000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 6.500 mm
Invändig diameter: 3.500 mm
Total höjd: 7.200 mm
Ytterdiameter: 3.610 mm

Mer

Isolerad: Ja
Vikt: 6.000