

60000 liter tank i Rostfritt 304



275,000,00 kr /st exkl moms

Additional information: food industry; tank feet are spacers for the substructure/foundation. Small repair areas inside

Volumetric volume (L): 60.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Agitator: yes

Internal diameter tank: 3.500 mm

Outer diameter tank: 3.610 mm

Cylinder height: 6.500 mm

Total height of tank: 7.200 mm

Empty weight tank: 6.000

SKU: 485660

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: food industry; tank feet are spacers for the substructure/foundation. Small repair areas inside; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 60000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 6.500 mm

Invändig diameter: 3.500 mm

Total höjd: 7.200 mm

Ytterdiameter: 3.610 mm

Mer

Isolerad: Ja

Vikt: 6.000

